-2-

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claim sin the application:

1. (Currently Amended) A compound represented by the following structural formula:

$$\begin{array}{c|c} & & & \\ & & & \\ NH_2 & & \\ & & \\ N & & \\ R_1 & & \\ \end{array}$$

or pharmaceutically acceptable salts thereof, wherein:

Ring A is a six membered aromatic ring or a five or six membered heteroaromatic ring which is substituted with one or more substituents selected from the group consisting of a substituted or unsubstituted aliphatic group, a halogen, a substituted or unsubstituted aromatic group, substituted or unsubstituted heteroaromatic group, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heteroaralkyl, substituted or unsubstituted aralkyl, substituted or unsubstituted heteroaralkyl, cyano, nitro, -NR₄R₅, -C(O)₂H, a substituted or unsubstituted alkoxycarbonyl, -C(O)₂-haloalkyl, a substituted or unsubstituted alkylthio, a substituted or unsubstituted alkylsulfonyl, a substituted or unsubstituted arylsulfonyl, a substituted or unsubstituted aryloxy, a substituted or unsubstituted carboxamido, substituted or unsubstituted tetrazolyl, trifluoromethylsulphonamido, trifluoromethylcarbonylamino, a substituted or unsubstituted alkyl amido or alkylcarboxamido; a substituted aryl amido or arylcarboxamido, a substituted or unsubstituted styryl,

-S(substituted or unsubstituted heteroaryl) and a substituted or unsubstituted aralkyl amido, aralkylcarboxamido or -C(O)NR_fR_g, R_c and CH₂OR_c;

wherein R_f , R_g and the nitrogen atom together form a 3-, 4-, 5-, 6- or 7- membered, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted heterobicycloalkyl or a substituted or unsubstituted heteroaromatic; or

R_f and R_g are each, independently, -H, a substituted or unsubstituted aliphatic group or a substituted or unsubstituted aromatic group;

R_c is hydrogen, or substituted or unsubstituted alkyl or substituted or unsubstituted aryl,

W-(CH₂)_t-NR_dR_e,-W-(CH₂)_t-O-alkyl, -W-(CH₂)_t-S-alkyl, -W-(CH₂)_t-OH, or -W-(CH₂)_t-NR_dR_e;

t is an integer from 0 to about 6;

W is a bond or $-O_{-}$, $-S_{-}$, $-S(O)_{-}$, $-S(O)_{2-}$ or $-NR_{k-}$;

 R_k is -H or alkyl;

R_d, R_e and the nitrogen atom to which they are attached together form a 3, 4, 5, 6 or 7-membered substituted or unsubstituted heterocycloalkyl or substituted or unsubstituted heterobicyclic group; or

R_d and R_e are each, independently, -H, alkyl, alkanoyl or -K-D;

wherein K is -S(O)₂-, -C(O)-, -C(O)NH, -C(O)₂- or a direct bond and D is a substituted or unsubstituted aryl, a substituted or unsubstituted heteroaryl, a substituted or unsubstituted aralkyl, a substituted or unsubstituted heteroaromatic group, a substituted or unsubstituted heteroaralkyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted heterocycloalkyl, a substituted or unsubstituted amino, a substituted or unsubstituted aminoalkyl, a substituted or unsubstituted aminocycloalkyl, COOR_i, or substituted or unsubstituted alkyl;

wherein R_i is a substituted or unsubstituted aliphatic group or a substituted or unsubstituted aromatic group;

 $Lis -S-; -S(O)-; -S(O)_{2-}; -N(C(O)OR)-; -N(C(O)R)-; -N(SO_{2}R)-; -CH_{2}O-; -CH_{2}S-; -CH_{2}N(R)-; -CH(NR)-; -CH_{2}N(C(O)R))-; -CH_{2}N(C(O)OR)-; -CH_{2}N(SO_{2}R)-; -CH(NHR)-; -CH(NHC(O)R)-; -CH(NHSO_{2}R)-; -CH(NHC(O)OR)-; -CH(OC(O)R)-; -CH(OC(O)NHR)-; -CH(-CH-; -C(=NOR)-; -C(O)-; -CH(OR)-; -C(O)N(R)-; -N(R)C(O)-; -N(R)S(O)-; -N(R)S(O)_{2-}; -OC(O)N(R)-; -N(R)C(O)N(R)-; -NRC(O)O-; -S(O)N(R)-; -S(O)_{2}N(R)-; -N(C(O)R)S(O)-; -N(C(O)R)S(O)-; -N(C(O)R)S(O)-; -N(R)S(O)_{2-}; -N(R)S(O)_{2-}; -N(R)S(O)N(R)-; -N(R)S(O)_{2}N(R)-; -C(O)N(R)C(O)-; -S(O)N(R)C(O)-; -S(O)N(R)-; -S($

-4-

 $S(O)_2N(R)C(O)$ -; -OS(O)N(R)-; $-OS(O)_2N(R)$ -; -N(R)S(O)O-; $-N(R)S(O)_2O$ -; -N(R)S(O)C(O)-; $-N(R)S(O)_2C(O)$ -; -SON(C(O)R)-; $-SO_2N(C(O)R)$ -; -N(R)SON(R)-; $-N(R)SO_2N(R)$ -; -C(O)O-; -N(R)P(OR')O-; -N(R)P(OR')O-; -N(R)P(OR')O-; -N(R)P(O)(OR')O-; -N(R)P(O)(OR')O-; -N(C(O)R)P(OR')O-; -N(C(O)R)P(OR')O-, wherein R and R' are each, independently, -H, an acyl group, a substituted or unsubstituted aliphatic group, a substituted or unsubstituted aromatic group, a substituted or unsubstituted heteroaromatic group, or a substituted or unsubstituted or unsubstituted or unsubstituted cycloalkyl group; or

L is $-R_bN(R)S(O)_2$ -, $-R_bN(R)P(O)$ -, or $-R_bN(R)P(O)O$ -, wherein R_b is an alkylene group which when taken together with the sulphonamide, phosphinamide, or phosphonamide group to which it is bound forms a five or six membered ring fused to ring A; or

L is represented by one of the following structural formulas:

wherein R₈₅ taken together with the phosphinamide, or phosphonamide is a 5-, 6-, or 7 - membered, aromatic, heteroaromatic or heterocycloalkyl ring system;

R₁ is -H, 2-phenyl-1,3-dioxan-5-yl, a C₁-C₆ alkyl group, a C₃-C₈ cycloalkyl group, a C₅-C₇ cycloalkenyl group or an optionally substituted phenyl(C₁-C₆ alkyl) group, wherein the alkyl, cycloalkyl and cycloalkenyl groups are optionally substituted by one or more groups of formula - OR^a; provided that -OR^a is not located on the carbon attached to nitrogen;

 R^a is -H or a C_1 - C_6 alkyl group or a C_3 - C_6 cycloalkyl;

R₂ is -H, a substituted or unsubstituted aliphatic group, a substituted or unsubstituted cycloalkyl, a halogen, -OH, cyano, a substituted or unsubstituted aromatic group, a substituted or

unsubstituted heteroaromatic group, a substituted or unsubstituted heterocycloalkyl, a substituted or unsubstituted aralkyl, a substituted or unsubstituted heteroaralkyl, -NR₄R₅, or -C(O)NR₄R₅;

R₃ is a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted aromatic group, a substituted or unsubstituted heteroaromatic group, or a substituted or unsubstituted heterocycloalkyl; or L is -NRSO₂-, -NRC(O)-, -NRC(O)O-, -S(O)₂NR-, -C(O)NR- or -OC(O)NR-, and R₃ is substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl or substituted or unsubstituted aralkyl;

provided that j is 0 when L is -CH₂NR-, -C(O)NR- or -NRC(O)- and R_3 is azacycloalkyl or azaheteroaryl;

R₄, R₅ and the nitrogen atom together form a 3, 4, 5, 6 or 7-membered, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted heterobicycloalkyl or a substituted or unsubstituted heteroaromatic; or

R₄ and R₅ are each, independently, -H, azabicycloalkyl, a substituted or unsubstituted alkyl group or Y-Z;

Y is selected from the group consisting of -C(O)-, $-(CH_2)_p$ -, $-S(O)_2$ -, -C(O)O-, $-SO_2NH$ -, -CONH-, $-(CH_2)_pO$ -, $-(CH_2)_pNH$ -, $-(CH_2)_pS$ -, $-(CH_2)_pS$ (O)-, and $-(CH_2)S(O)_2$ -;

p is an integer from 0 to 6;

Z is a substituted or unsubstituted alkyl, substituted or unsubstituted amino, substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl or substituted or unsubstituted heterocycloalkyl group; and

j an integer from 0 to 6;

provided that the compound is not

7-tert-butyl-5-[4-(phenylsulphinyl)phenyl]-7H-pyrrolo[2,3-d]pyrimidin-4-ylamine;

7-tert-butyl-5-[4-(phenylsulphonyl)phenyl]-7H-pyrrolo[2,3-d]pyrimidin-4-ylamine;

N-[4-(4-amino-7-isopropyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)- phenyl]benzenesulphonamide;

N-[4-(4-amino-7- isopropyl -7H-pyrrolo[2,3-d]pyrimidin-5-yl)-phenyl]benzamide;

N-[4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-methoxyphenyl]benzamide;

N-[4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-hydroxyphenyl]benzamide;

N-[4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-

methoxyphenyl]benzenesulphonamide;

-6-

N-[4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-hydroxyphenyl]benzenesulphonamide;

N-[4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-hydroxyphenyl]-4-tert-butylbenzenesulphonamide;

N-[4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-methoxyphenyl]-4-tert-butylbenzenesulphonamide;

N-[4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-hydroxy-phenyl]-4-chlorobenzamide.

- 2. (Original) The compound of claim 1, wherein R₃ is selected from the group consisting of a substituted or unsubstituted phenyl, a substituted or unsubstituted naphthyl, a substituted or unsubstituted pyridyl, a substituted or unsubstituted thienyl, a substituted or unsubstituted benzotriazole, a substituted or unsubstituted tetrahydropyranyl, a substituted or unsubstituted tetrahydrofuranyl, a substituted or unsubstituted dioxane, a substituted or unsubstituted dioxolane, a substituted or unsubstituted quinoline, a substituted or unsubstituted thiazole, substituted or unsubstituted isoxazole, substituted or unsubstituted cyclopentanyl, a substituted or unsubstituted benzothiophene, substituted or unsubstituted benzisothiazole, substituted or unsubstituted benzisothiazole, substituted or unsubstituted benzoxazole, substituted or unsubstituted benzoxazole, substituted or unsubstituted benzoxazole, substituted or unsubstituted benzoxazole, substituted or unsubstituted benzoxadiazole, substituted or unsubstituted benzoxadiazole, substituted or unsubstituted benzoxadiazole, substituted or unsubstituted benzothiadiazole, substituted or unsubstituted indole and substituted or unsubstituted pyrazole.
- 3. (Previously Amended) The compound of Claim 2 wherein R₃ is substituted with one or more substituents selected from the group consisting of F, Cl, Br, I, CH₃, NO₂, OCF₃, OCH₃, CN, CO₂CH₃, CF₃, t-butyl, pyridyl, substituted or unsubstituted oxazolyl, substituted or unsubstituted benzel, substituted or unsubstituted benzelesulfonyl, substituted or unsubstituted phenoxy,

substituted or unsubstituted phenyl, substituted or unsubstituted amino, carboxyl, substituted or unsubstituted tetrazolyl, styryl, -S-(substituted or unsubstituted aryl), -S-(substituted or unsubstituted heteroaryl), substituted or unsubstituted heteroaryl, substituted or unsubstituted heteroaryl, substituted or unsubstituted heterocycloalkyl, alkynyl, -C(O)NR₁R₂, R₂, and CH₂OR₂;

wherein R_f , R_g and the nitrogen atom together form a 3, 4, 5, 6 or 7-membered, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted heterocycloalkyl or a substituted or unsubstituted heteroaromatic R_f and R_g are each, independently, -H, a substituted or unsubstituted aliphatic group or a substituted or unsubstituted aromatic group; and

R_c is hydrogen, or substituted or unsubstituted alkyl or substituted or unsubstituted aryl, - W-(CH₂)_t-NR_dR_e, -W-(CH₂)_t-O-alkyl, -W-(CH₂)_t-S-alkyl, or -W-(CH₂)_t-OH;

t is an integer from 0 to 6;

W is a bond or -O-, -S-, -S(O)-, -S(O)₂-, or -NR_k-;

Rk is -H or alkyl; and

R_d, R_e and the nitrogen atom to which they are attached together form a 3, 4, 5, 6 or 7-membered substituted or unsubstituted heterocycloalkyl or substituted or unsubstituted heterobicyclic group; or

R_d and R_e are each, independently, -H, alkyl, alkanoyl or -K-D;

K is $-S(O)_2$, -C(O), -C(O)NH-, $-C(O)_2$ -, or a direct bond;

D is a substituted or unsubstituted aryl, a substituted or unsubstituted heteroaryl, a substituted or unsubstituted aralkly, a substituted or unsubstituted heteroaromatic group, a substituted or unsubstituted or unsubstituted cycloalkyl, a substituted or unsubstituted armino, a substituted or unsubstituted armino, a substituted or unsubstituted arminoalkyl, a substituted or unsubstituted arminoalkyl, cook; or substituted or unsubstituted alkyl; and

R_i is a substituted or unsubstituted aliphatic group or a substituted or unsubstituted aromatic group.

4. (Previously Amended) The compound of claim 3, wherein R₃ is a substituted or unsubstituted phenyl, thienyl, benzoxadiazolyl, or benzothiadiazolyl.

-8-

- 5. (Previously Amended) The compound of Claim 1, wherein ring A is selected from the group consisting of a substituted phenyl, a substituted naphthyl, a substituted pyridyl, and a substituted indole.
- 6. (Currently Amended) The compound of Claim 5 wherein ring A is substituted with one or more substitutents selected from the group consisting of F, CI, Br, I, CH₃, NO₂, CN, CO₂CH₃, CF₃, t-butyl, pyridyl, substituted or unsubstituted oxazolyl, substituted or unsubstituted benzyl, substituted or unsubstituted benzenesulfonyl, substituted or unsubstituted phenoxy, substituted or unsubstituted phenyl, NR₄R₅, carboxyl, substituted or unsubstituted tetrazolyl, styryl, -S-(substituted or unsubstituted heteroaryl), substituted or unsubstituted heteroaryl, alkynyl, -C(O)NR_fR_g, R_c and CH₂OR_c;
- R_f, R_g and the nitrogen atom together form a 3, 4, 5, 6 or 7-membered, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted heterobicycloalkyl or a substituted or unsubstituted heteroaromatic; or

 $R_{\rm f}$ and $R_{\rm g}$ are each, independently, -H, a substituted or unsubstituted aliphatic group or a substituted or unsubstituted aromatic group; and

 R_c is hydrogen, substituted or unsubstituted alkyl, substituted or unsubstituted aryl, -W-(CH₂)_t-NR_dR_c, -W-(CH₂)_t-O-alkyl, -W-(CH₂)_t-S-alkyl, or -W-(CH₂)_t-OH;

t is an integer from 0 to 6;

W is a bond or -O-, -S-, -S(O)-, -S(O)₂-, or -NR_k-;

 R_k is -H or alkyl; and

R_d, R_e and the nitrogen atom to which they are attached together form a 3, 4, 5, 6 or 7-membered substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted heterobicycloalkyl or a substituted or unsubstituted heteroaromatic; or

R_d and R_e are each, independently, -H, alkyl, alkanoyl, or -K-D;

K is $-S(O)_2$ -, -C(O)-, -C(O)NH-, $-C(O)_2$ -, or a direct bond;

D is a substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl, substituted or unsubstituted aralkyl, substituted or unsubstituted heteroaromatic group, substituted or unsubstituted excloalkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted

Art Unit: 1624

heterocycloalkyl, substituted or unsubstituted amino, substituted or unsubstituted aminoalkyl, substituted or unsubstituted aminocycloalkyl, COOR_i, or a substituted or unsubstituted alkyl; and R_i is a substituted or unsubstituted aliphatic group or a substituted or unsubstituted aromatic group.

-9-

- 7. (Previously Amended) The compound of claim 6, wherein ring A is a substituted phenyl.
- 8. (Previously Amended) The compound of claim 1, wherein R¹ is a cyclopentyl group, a hydroxycyclopentyl or an isopropyl.
- 9. (Cancelled)
- 10. (Original) The compound of claim 1, wherein R_2 is -H.
- 11. (Previously Amended) A compound represented by the following structural formula

$$A$$
 A
 $CH_2)_j$
 R_3
 R_1

or pharmaceutically acceptable salts thereof, wherein:

Ring A is a six membered aromatic ring or a five or six membered heteroaromatic ring which is substituted with one or more substituents selected from the group consisting of a substituted or unsubstituted aliphatic group, a halogen, a substituted or unsubstituted aromatic group, substituted or unsubstituted heteroaromatic group, substituted or unsubstituted cycloalkyl, substituted or unsubstituted aralkyl, substituted or unsubstituted aralkyl, substituted or unsubstituted aralkyl, cyano, nitro, -NR₄R₅, -C(O)₂H, a substituted or unsubstituted alkoxycarbonyl, -C(O)₂-haloalkyl, a substituted or unsubstituted alkylthio, a substituted or

Art Unit: 1624

-10-

unsubstituted alkylsulfinyl, a substituted or unsubstituted alkylsulfonyl, a substituted or unsubstituted arylsulfinyl, a substituted or unsubstituted arylsulfinyl, a substituted or unsubstituted arylsulfonyl, a substituted or unsubstituted alkyl carbonyl, -C(O)-haloalkyl, a substituted or unsubstituted aryloxy, a substituted or unsubstituted carboxamido, tetrazolyl, trifluoromethylsulphonamido, trifluoromethylcarbonylamino, a substituted or unsubstituted alkynyl, a substituted or unsubstituted alkyl amido or alkylcarboxamido; a substituted or unsubstituted aryl amido or arylcarboxamido, a substituted or unsubstituted styryl and a substituted or unsubstituted aralkyl amido or aralkylcarboxamido; wherein L is -NHSO₂R-, -NHC(O)O- or -NHC(O)R-;

wherein R is -H, an acyl group, a substituted or unsubstituted aliphatic group, a substituted or unsubstituted aromatic group, a substituted or unsubstituted heteroaromatic group, or a substituted or unsubstituted cycloalkyl group; or

R₁ is -H, 2-phenyl-I,3-dioxan-5-yl, a C1-C6 alkyl group, a C3-C8 cycloalkyl group, a C5-C7 cycloalkenyl group or an optionally substituted phenyl(C1-C6 alkyl) group, wherein the alkyl, cycloalkyl and cycloalkenyl groups are optionally substituted by one or more groups of formula - OR^a; provided that -OR^a is not located on the carbon attached to nitrogen;

R^a is -H or a C1-C6 alkyl group or a C3-C6 cycloalkyl;

R₂ is -H, a substituted or unsubstituted aliphatic group, a substituted or unsubstituted cycloalkyl, a halogen, -OH, cyano, a substituted or unsubstituted aromatic group, a substituted or unsubstituted heteroaromatic group, a substituted or unsubstituted heterocycloalkyl, a substituted or unsubstituted aralkyl, a substituted or unsubstituted heteroaralkyl, -NR₄R₅, or -C(O)NR₄R₅;

R₃ is a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted aromatic group, a substituted or unsubstituted heteroaromatic group, or a substituted or unsubstituted heterocycloalkyl; or L is -NRSO₂-, -NRC(O)-, -NRC(O)O-, -S(O)₂NR-, -C(O)NR- or -OC(O)NR-, and R₃ is substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl or substituted or unsubstituted aralkyl; and

R₄, R₅ and the nitrogen atom together form a 3, 4, 5, 6 or 7-membered, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted heterobicycloalkyl or a substituted or unsubstituted heteroaromatic; or

-11-

R₄ and R₅ are each, independently, -H, azabicycloalkyl, a substituted or unsubstituted alkyl group or Y-Z;

Y is selected from the group consisting of -C(O)-, $-(CH_2)_p$ -, $-S(O)_2$ -, -C(O)O-, $-SO_2NH$ -, -CONH-, $-(CH_2)_pO$ -, $-(CH_2)_pNH$ -, $-(CH_2)_pS$ -, $-(CH_2)_pS$ (O)-, and $-(CH_2)S(O)_2$ -;

p is an integer from 0 to 6;

Z is a substituted or unsubstituted alkyl, substituted or unsubstituted amino, substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl or substituted or unsubstituted heterocycloalkyl group; and j an integer from 0 to 6.

12 - 45 (Cancelled).

46. (Previously Presented) A compound selected from the group consisting of

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2-(trifluoromethoxy)-I-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyriimidin-5-yl)-2-chlorophenyl)-2-chloro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimdiin-5-yl)-2-chlorophenyl)-2-fluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2-chloro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-chlorophenyl)-3-fluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-chlorophenyl)-1-benzenesulfonamide;

-12-

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-chlorophenyl)-3-(trifluoromethyl)-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-chlorophenyl)-4-chloro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-chlorophenyl)-2-cyano-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2-nitro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,6-difluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,3,4-trifluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-4-bromo-2-fluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,5-difluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-3,4-difluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2-bromo-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,6-dichloro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,4,6-trichloro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,4-dichloro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2-chloro-4-fluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,4-difluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2-iodo-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,3-dichloro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-4-bromo-2,5-difluoro-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2-chloro-4-cyano-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2-chloro-6-methyl-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-3-chloro-2-methyl-1-benzenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-4,5-dibromo-2-thiophenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-5-bromo-2-thiophenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-3-bromo-5-chloro-2-thiophenesulfonamide;

-14-

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,5-dichloro-3-thiophenesulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,1,3-benzothiadiazole-4-sulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,1,3-benzoxadiazole-4-sulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-7-chloro-2,1,3-benzoxadiazole-4-sulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-7-methyl-2,1,3-benzothiadiazole-4-sulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-5-methyl-2,1,3-benzothiadiazole-4-sulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pynimidin-5-yl)-2-fluorophenyl)-5-chloro-2,1,3-benzothiadiazole-4-sulfonamide;

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-(2-nitrophenyl)methanesulfonamide; and

N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2,5-dibromo-3,5-difluoro-1-benzenesulfonamide;

and pharmaceutically acceptable salts thereof.

- 47. (Previously Presented) The compound of Claim 1, wherein L is -NHSO₂- or -NHC(O)-.
- 48. (Previously Presented) The compound of Claim 1, wherein L is -NHSO₂CH₂-, -NHC(O)CH₂-, or -NHSO₂CH=CH-.
- 49. (Previously Presented) A compound according to claim 1 wherein A is a five or six membered heteroaromatic ring.

-15-

Application No.: 09/399,083 Art Unit: 1624

- 50. (Previously Presented) A compound according to claim 1 wherein L is -N(C(O)OR)-; -N(C(O)R)-; -N(SO₂R)-; -CH₂O-; -CH₂S-; -CH₂N(R)-; -CH(NR)-; -CH₂N(C(O)R))-; -CH₂N(C(O)OR)-; -CH₂N(SO₂R)-; -CH(NHR)-; -CH(NHC(O)R)-; -CH(NHSO₂R)-; -CH(NHC(O)OR)-; -CH(OC(O)R)-; -CH(OC(O)NHR)-; -CH=CH-; -C(=NOR)-; -C(O)-; -CH(OR)-; -N(R)S(O)-; -N(R)SO₂R₁₃₀-; -OC(O)N(R)-; -S(O)N(R)-; -N(C(O)R)S(O)-; -N(R)S(O)N(R)-; -N(R)S(O)₂N(R)-; -C(O)N(R)C(O)-; -S(O)N(R)C(O)-; -N(R)S(O)N(R)-; -N(R)S(O)₂N(R)-; -N(R)S(O)O-; -N(R)S(O)₂O-; -N(R)S(O)C(O)-; -N(R)S(O)₂C(O)-; -SON(C(O)R)-; -SO₂N(C(O)R)-; -N(R)SON(R)-; -N(R)SO₂N(R)-; -N(R)P(OR')-; -N(R)P(O)(OR')-; -N(R)P(O)(OR')-; -N(C(O)R)P(OR')-; -N(C(O)R)-; -N(
- (Previously Presented) A compound according to claim 1 wherein R₃ is a substituted or unsubstituted cycloalkyl, or a substituted or unsubstituted heterocycloalkyl; or L is NRSO₂-, NRC(O)-,-NRC(O)O-, -S(O)₂NR-, -C(O)NR- or -OC(O)NR-, and R₃ is substituted or unsubstituted alkyl, substituted or unsubstituted alkenyl or substituted or unsubstituted aralkyl.
- 52. (Previously Presented) The compound N-(4-(4-amino-7-cyclopentyl-7H-pyrrolo[2,3-d]pyrimidin-5-yl)-2-fluorophenyl)-2-(trifluoromethoxy)-1-benzenesulfonamide.